



 Roof Sheathing @ 6 Pitch 3,120.3 SQ FT 

Alpharetta
 REVIEWED FOR CODE COMPLIANCE
 CITY OF ALPHARETTA, GA
 BUILDING CONSTRUCTION DIVISION

HEADER SCHEDULE

MARK	MIN/MAX-HEADER SIZE
H-1	3 - 2x10
H-2	3 - 2x10
H-3	2 - 2x10
H-4	2 - 2x10
H-5	3 - 1 5/8" x 3 1/8" LVL

NOTES:
 1. SEE DETAIL 210202 FOR OPENING INFORMATION.
 2. PROVIDE (2") CONT. PITCH PLATES BETWEEN HEADER MEMBERS TO MATCH WIDTH OF HEADER TO WALL.

- SOFFIT PLAN NOTES:**
- S.A.C. FOR DIMENSIONS, SLOPES, STEPS AND DRAINS, TYP.
 - TYPICAL ROOF FRAMING SHALL BE PRE-ENGINEERED ROOF TRUSSES SPACED @ 24" O.C. J.A.D. TRUSS LAYOUT SHOWN IS CONCEPTUAL. FINAL LAYOUT AND DESIGN SHALL BE BY TRUSS MANUFACTURER'S STRUCTURAL ENGINEER, REGISTERED IN THE PROJECT'S STATE.
 - HALL FRAMING LOCATED ON PLAN IS BELOW ROOF. SEE NOTES ON SOFFIT FOR SIZE AND SPACING INFO.
 - H# INDICATES LOCATION OF OPENING HEAD. SEE HEADER SCHEDULE THIS SHEET. SEE DETAIL 210202 FOR OPENING FRAMING INFORMATION.

HARRELL KANE
 STRUCTURAL ENGINEERS
 753 Old Roswell Road
 Suite 332
 Roswell, GA 30076
 TEL: (404) 920-4780

**HOME ADDITION AND RETROFIT
 SEDALIA RESIDENCE**
 ALPHARETTA, GEORGIA

REVISIONS

DATE	ISSUED	DESCRIPTION



PROJECT NO. 2020

DATE: MAY 7, 2020
 SHEET TITLE:

**HIGH ROOF
 FRAMING PLAN**

SHEET NUMBER

S105

ALL DIMENSIONS AND SPACING SHALL BE AS SHOWN UNLESS OTHERWISE NOTED. CONSULT THE ENGINEER FOR ANY QUESTIONS. SCALE: 1/4" = 1'-0" UNLESS OTHERWISE NOTED. PREPARED BY: H.K.