



	Deck	123.6 SQ FT
	P.T 2x8	442.7 FT
	Joist Tool	2,268.3 SQ FT
	Truss	1,149.0 FT
	Joist Tool	380.2 SQ FT
	Truss	245.0 FT

MARK	MIN/MAX HEADER SIZE
H-1	3 - 2x10
H-2	3 - 2x10
H-3	2 - 2x10
H-4	2 - 2x12
H-5	3 - 1 5/8" X 11 1/8" LVL

NOTES:
 1. SEE DETAIL 2-2022 FOR OPENING INFORMATION.
 2. PROVIDE (2) CONT. FLUSH PLATES BETWEEN HEADER MEMBERS TO MATCH WIDTH OF HEADER TO WALL.

MARK	MIN/MAX BEAM SIZE
B-1	2 - FT. 2x10
B-2	3 - FT. 2x10
B-3	1 - 1 5/8" X 8" LVL
B-4	2 - 1 5/8" X 8" LVL
B-5	3 - 1 5/8" X 8" LVL
B-6	3 - 1 5/8" X 14" LVL
B-7	3 - FT. 2x10

NOTES:
 1. IF POST IS NOT INDICATED ON PLAN AT END OF BEAM, PROVIDE MIN. 8" X 8" STUD PACK.
 2. ALL BEAMS ARE FLUSH WITH TOP OF FLOOR TRUSSES/JOISTS AND ON PLANS.
 3. TRUSS GRIDDERS MAY BE SUBSTITUTED FOR BEAMS.

Alpharetta
 REVIEWED FOR CODE COMPLIANCE
 CITY OF ALPHARETTA,
 BUILDING CONSTRUCTION DIVISION

MARK	HANGER SIZE
H-1	SIMPSON LUGS
H-2	SIMPSON HUG22-D
H-3	SIMPSON LUG-D
H-4	SIMPSON HUG2-D
H-5	SIMPSON HSL10-D
H-6	SIMPSON H48H
H-7	SIMPSON HUG40-D OR SIMPSON HES50-D
H-8	SIMPSON TH48H
H-9	SIMPSON HUG50-D
H-10	SIMPSON LUG28-D

NOTES:
 1. SIMPSON HANGERS ARE INDICATED. SUBSTITUTES ARE PERMITTED GIVEN CORRECT FIT AND EQUIVALENT OR GREATER LOAD VALUES.
 2. WHERE EXPOSED TO THE ELEMENTS, FINISHES SHALL COVER OR NOT DIPPED GALVANIZED HANGERS.

- FRAMING PLAN NOTES:**
- S.D.D. FOR DIMENSIONS, SLOPES, STEPS AND DRAINS, TYP.
 - TYPICAL FLOOR FRAMING AT UNITS SHALL BE 5/8" DIAPHRAGM RATED WOOD STRUCTURAL PANEL OR 8" DEEP PRE-FABRICATED FLOOR TRUSSES. SEE SHOP DRAWINGS FOR REQUIRED TRUSS SPACING.
 - HALL FRAMING SHOWN IS BELOW THE FLOOR. SEE NOTES ON S22 FOR REQUIRED STUD SIZE AND SPACING INFORMATION.
 - (H) INDICATES LOCATION OF BEAM. SEE BEAM SCHEDULE THIS SHEET. BEAM IS FLUSH WITH FLOOR FRAMING 3/16" ON PLAN.
 - (H) INDICATES LOCATION OF HANGER. SEE HANGER SCHEDULE THIS SHEET.
 - H-# INDICATES LOCATION OF OPENING HEAD. SEE HEADER SCHEDULE THIS SHEET. SEE DETAIL 2-2022 FOR OPENING FRAMING INFORMATION.
 - SHEATH ALL EXTERIOR WALLS W/ 5/8" PLYWOOD OR OSB, APA RATED. ATTACHED TO STUDS W/ 8" NAILS @ 12" OC.
 - STUD PACKS SHALL BE CONNECTED AS INDICATED IN DETAIL 2-2022. WHERE 2x8 POSTS ARE SPECIFIED, A 4x8 STUD PACK MAY BE USED. NOTED.

HARRELL KANE
 STRUCTURAL ENGINEERS
 755 OLD RUSSELL ROAD
 SUITE 332
 ALPHARETTA, GA 30074
 TEL: (404) 920-4780

**HOME ADDITION AND RETROFIT
 SEDALIA RESIDENCE**
 ALPHARETTA, GEORGIA

REVISIONS	DATE	BY	DESCRIPTION



PROJECT # 2020
 DATE
 MAY 7, 2020
 SHEET TITLE

**SECOND LEVEL
 FRAMING PLAN**

SHEET NUMBER

S103

ALL DIMENSIONS AND SPACING SHALL BE AS SHOWN UNLESS OTHERWISE NOTED. CHECK FOR ALL DIMENSIONS AND SPACING. SCALE TO THE DIMENSIONS AND SPACING SHOWN. REVISIONS TO BE MADE BY THE ENGINEER OR ARCHITECT.